



GARCO

LATÓN


www.grupogarco.com.mx

Oriente 253, número 39B, interior E102
Agrícola Oriental, Iztacalco, CDMX, C.P. 08500.

Tel. (0155) 1993 6224 / (0155) 8849 4621


WA: +521 559103 3813

LATÓN BARRA CUADRADA



Largo de fábrica: 3.66 mts
Aleación: C36000


Número de catálogo	Medidas		Peso aproximado
	M.M.	Pulgadas	
231	3.2	1/8	0.086
232	4	5/32	0.134
233	4.8	3/16	0.193
234	6.4	1/4	0.343
235	7.9	5/16	0.535
236	9.5	3/8	0.771
237	11.1	7/16	1.049
238	12.7	1/2	1.371
240	14.3	9/16	1.735
230	15.9	5/8	2.141
242	17.5	11/16	2.59
243	19	3/4	3.619
244	20.6	13/16	4.197
245	22.2	7/8	4.818
246	23.8	15/16	5.481
247	25.4	1"	6.188
248	27	1 1/16	6.938
249	28.6	1 1/8	7.730
250	30.2	1 3/16	8.564
251	31.7	1 1/4	10.363
252	34.9	1 3/8	12.334
253	38.1	1 1/2	16.786
254	44.4	1 3/4	21.935
255	50.8	2"	3.619



LATÓN

BARRA HEXAGONAL

Número de catálogo	Medidas		Peso aproximado
	M.M.	Pulgadas	
201	3.2	1/8	0.074
203	4	5/32	0.116
205	4.8	3/16	0.167
206	6.4	1/4	0.297
207	7.9	5/16	0.464
208	9.5	3/8	0.568
209	11.1	7/16	0.909
210	12.7	1/2	1.187
211	14.3	9/16	1.501
212	15.9	5/8	1.854
213	17.5	11/16	2.244
214	19.0	3/4	2.671
215	20.6	13/16	3.134
216	22.2	7/8	3.635
217	23.8	15/16	4.172
218	25.4	1"	4.747
219	27.0	1 1/16	5.360
220	28.6	1 1/8	6.008
222	30.2	1 3/16	6.694
224	31.7	1 1/4	7.414
226	34.9	1 3/8	8.975
227	38.1	1 1/2	10.681
228	44.4	1 3/4	14.539
229	50.8	2"	18.987



Número de catálogo	Medidas		Peso aproximado
	M.M.	Pulgadas	
161	2.4	3/32	0.038
160	2.6	0.105	0.045
162	3.2	1/8	0.067
163	4	5/32	0.105
164	4.8	3/16	0.151
165	5.5	7/32	0.206
166	6.4	1/4	0.269
167	7.9	5/16	0.420
168	9.5	3/8	0.605
169	11.1	7/16	0.824
170	12.7	1/2	1.076
171	14.3	9/16	1.362
172	15.9	5/8	1.681
173	17.5	11/16	2.035
177	19	3/4	2.422
180	20.6	13/16	2.842
181	22.2	7/8	3.296
182	23.8	15/16	3.784
183	25.4	1	4.305
184	27	1 1/16	4.880
185	28.6	1 1/8	5.449
186	30.2	1 3/16	6.071
188	31.7	1 1/4	6.727
190	34.9	1 3/8	8.139
191	38.1	1 1/2	9.687
192	44.4	1 3/4	13.185
193	50.8	2	17.216
194	57.1	2 1/4	21.801
195	63.5	2 1/2	26.903
200	69.8	2 3/4	32.560
196	76.2	3	38.750
197	82.6	3 1/4	45.480
198	88.9	3 1/2	52.748
199	101.6	4	68.893



Tramo de: 3.66 mts
Aleación:230

TUBOS DE LATÓN ROJOS S.P.S

Número de catálogo	Medidas		Diámetro		Espesor de pared	Peso por metro	Peso por tramo
	M.M.	Pulgadas	Interior	Exterior	M.M.		
699	3.2	1/8	7.15	10.30	1.58	0.376	1.376
700	6.4	1/4	9.50	13.70	2.08	0.665	2.434
701	9.5	3/8	12.52	17.10	2.29	0.933	3.415
702	12.7	1/2	15.82	21.30	2.72	1.390	5.087
703	19	3/4	20.89	26.65	2.90	1.890	6.917
704	25.4	1	25.96	33.40	3.20	2.649	9.695
705	31.7	1 1/4	34.74	42.16	3.71	3.913	14.322
706	38.1	1 1/2	40.64	48.26	3.81	4.657	17.045
707	50.8	2	52.41	60.33	3.96	6.131	22.439
708	63.5	2 1/2	62.71	73.03	4.75	8.913	32.622
709	76.2	3	77.90	88.90	5.56	12.737	46.617
710	101.6	4	101.60	114.30	6.35	18.898	67.167

**TUBO REDONDO LATÓN
PARED DELGADA**

 Largo de fábrica: 3.66 mts
 Aleación: C27400

Número de catálogo	Medidas		Espesor de pared		Peso aprox. por metro
	M.M.	Pulgadas	M.M.	Pulgadas	
640	4.8	3/16	0.81	0.030	0.086
641	6.4	1/4	0.81	0.032	0.120
642	7.9	5/16	0.81	0.032	0.155
643	9.5	3/8	0.81	0.032	0.189
644	11.1	7/16	0.81	0.032	0.223
645	12.7	1/2	0.81	0.032	0.257
646	15.9	5/8	0.81	0.032	0.327
647	19	3/4	0.81	0.032	0.396
648	22.2	7/8	0.81	0.032	0.464
649	25.4	1	0.81	0.031	0.534
650	31.7	1 1/4	0.81	0.031	0.671
651	38.1	1 1/2	0.81	0.032	0.809
652	44.4	1 3/4	0.81	0.032	0.946
653	50.8	2	0.81	0.032	1.085
654	63.5	2 1/2	1.07	0.042	1.771
655	76.2	3	1.07	0.042	2.143

**TUBO REDONDO LATÓN
PARED GRUESA**



Largo de fábrica: 3.66 mts
Aleación: C27400

Número de catálogo	Medidas		Espesor de pared		Peso aprox. por metro
	M.M.	Pulgadas	M.M.	Pulgadas	
656	6.4	1/4	1.07	0.042	0.150
657	7.9	5/16	1.07	0.042	0.195
658	9.5	3/8	1.07	0.042	0.241
659	11.1	7/16	1.24	0.049	0.327
660	12.7	1/2	1.24	0.049	0.381
661	15.9	5/8	1.24	0.049	0.487
662	19	3/4	1.24	0.049	0.592
663	22.2	7/8	1.24	0.049	0.696
664	25.4	1	1.24	0.049	0.802
665	31.7	1 1/4	1.65	0.065	1.326
666	38.1	1 1/2	1.65	0.065	1.607
667	44.4	1 3/4	1.65	0.065	1.890
668	50.8	2	1.65	0.065	2.172
669	63.5	2 1/2	2.77	0.109	4.494
670	76.2	3	2.77	0.109	5.431
671	101.6	4	3.18	0.125	8.348

LATÓN SOLERAS



Largo de fábrica: 3.66 mts
Aleación: C 36000

Número de catálogo	Medidas		Peso aprox. por metro
	M.M.	Pulgadas	
524	1.6 X 6.4	1/16 X 1/4	0.086
525	1.6 X 9.5	1/16 X 3/8	0.129
526	1.6 X 12.7	1/16 X 1/2	0.171
528	1.6 X 15.9	1/16 X 5/8	0.214
529	1.6 X 19.0	1/16 X 3/4	0.257
530	1.6 X 25.4	1/16 X 1	0.342
531	3.2 X 6.4	1/8 X 1/4	0.171
532	3.2 X 9.5	1/8 X 3/8	0.257
533	3.2 X 12.7	1/8 X 1/2	0.343
534	3.2 X 15.9	1/8 X 5/8	0.428
535	3.2 X 19.0	1/8 X 3/4	0.514
536	3.2 X 25.4	1/8 X 1	0.685
537	3.2 X 31.7	1/8 X 1 1/4	0.857
538	3.2 X 38.1	1/8 X 1 1/2	1.028
539	3.2 X 44.4	1/8 X 1 3/4	1.199
540	3.2 X 50.8	1/8 X 2	1.371
541	3.2 X 101.6	1/8 X 4	2.741
542	4.8 X 6.4	3/16 X 1/4	0.257
543	4.8 X 9.5	3/16 X 3/8	0.386
544	4.8 X 12.7	3/16 X 1/2	0.514
545	4.8 X 15.9	3/16 X 5/8	0.643
546	4.8 X 19.0	3/16 X 3/4	0.711
547	4.8 X 25.4	3/16 X 1	1.028
548	4.8 X 31.7	3/16 X 1 1/4	1.285
549	4.8 X 38.1	1/16 X 1 1/2	1.542
550	4.8 X 44.4	3/16 X 1 3/4	1.799
551	4.8 X 50.8	3/16 X 2	2.056
552	4.8 X 63.5	3/16 X 2 1/2	2.570
553	4.8 X 76.2	3/16 X 3	3.084
554	4.8 X 101.6	3/16 X 4	4.112

LATÓN SOLERAS



Largo de fábrica: 3.66 mts
Aleación: C 36000

Número de catálogo	Medidas		Peso aprox. por metro
	M.M.	Pulgadas	
555	6.4 X 9.5	1/4 X 3/8	0.514
556	6.4 X 12.7	1/4 X 1/2	0.685
557	6.4 X 15.9	1/4 X 5/8	0.857
558	6.4 X 19.0	1/4 X 3/4	1.028
559	6.4 X 25.4	1/4 X 1	1.371
560	6.4 X 31.7	1/4 X 1 1/4	1.713
561	6.4 X 38.1	1/4 X 1 1/2	2.056
562	6.4 X 44.4	1/4 X 1 3/4	2.399
563	6.4 X 50.8	1/4 X 2	2.741
565	6.4 X 63.5	1/4 X 2 1/2	3.426
566	6.4 X 76.2	1/4 X 3	4.112
567	6.4 X 101.6	1/4 X 4	5.482
568	9.5 X 12.7	3/8 X 1/2	1.028
569	9.5 X 15.9	3/8 X 5/8	1.285
570	9.5 X 19.0	3/8 X 3/4	1.542
571	9.5 X 25.4	3/8 X 1	2.056
572	9.5 X 31.7	3/8 X 1 1/4	2.570
573	9.5 X 38.1	3/8 X 1 1/2	3.084
574	9.5 X 44.4	3/8 X 1 3/4	3.598
575	9.5 X 50.8	3/8 X 2	4.112
576	9.5 X 63.5	3/8 X 2 1/2	5.140
577	9.5 X 76.2	3/8 X 3/4	6.168
578	9.5 X 101.6	3/8 X 4	8.224
579	12.7 X 25.4	1/2 X 1	2.741
580	12.7 X 38.1	1/2 X 1 1/2	4.112
581	12.7 X 50.8	1/2 X 2	5.482
582	12.7 X 63.5	1/2 X 2 1/2	6.853
583	12.7 X 76.2	1/2 X 3	8.224
584	12.7 X 101.6	1/2 X 4	10.965


LATÓN ALAMBRE



Temple: Medio duro
LA - 65/35

Número de catálogo	Calibre			Metros aprox. por kg.	Peso aprox. por 100 mts.
	B.W.G.	M.M.	Pulgadas		
39	4	6.045	0.238	4	25
40	6	5.156	0.203	5.6	17.857
41	8	4.191	0.165	8.5	11.764
42	10	3.404	0.134	12.8	7.813
43	12	2.769	0.109	19.4	5.155
44	14	2.108	0.083	33.5	2.985
45	16	1.651	0.065	54.6	1.832
46	18	1.245	0.049	96.1	1.041
47	20	0.889	0.035	188.6	0.53
48	22	0.711	0.028	294	0.34
49	24	0.559	0.022	476	0.21
50	26	0.457	0.018	714	0.14
51	28	0.356	0.014	1,250.00	0.08


LATÓN LÁMINAS



Ancho standar 0.61 mts
(2 pies)
Aleación: C 26000
Semi-dura Brillante

Número de catálogo	Calibre			Largo de la lámina	Peso aprox.	
	B.W.G.	M.M.	Pulgadas		M2	Lámina
416	4	6.05	0.238	1.22	51.194	38.099
417	6	5.16	0.203	1.22	43.665	32.495
418	8	4.19	0.165	1.22	35.492	26.413
419	10	3.4	0.134	1.22	28.823	21.45
420	12	2.77	0.109	1.22	23.446	17.449
421	14	2.11	0.083	1.22	17.853	13.286
422	16	1.65	0.065	2.44	13.989	21.323
423	18	1.25	0.049	2.44	10.54	16.074
424	20	0.89	0.035	2.44	7.529	11.482
425	22	0.71	0.028	2.44	6.023	9.185
426	24	0.56	0.022	2.44	4.732	7.216
427	26	0.46	0.018	2.44	3.872	5.905
428	28	0.36	0.014	1.22	3.011	2.241
429	30	0.31	0.012	1.22	2.581	1.921

LATÓN ROLLO



Ancho standar 0.61 mts (2 pies)
Aleación: C 26000
Semi-dura Brillante

Número de catálogo	Calibre			Peso aprox M2	Ancho del rollo	Temple
	B.W.G.	M.M.	Pulgadas			
434	18	1.25	0.049	10.54	61 cm.	RECOCIDO
435	20	0.89	0.035	7.529	61 cm.	RECOCIDO
436	22	0.71	0.028	6.023	61 cm.	RECOCIDO
437	24	0.56	0.022	4.732	61 cm.	RECOCIDO
438	26	0.46	0.018	3.872	61 cm.	RECOCIDO
439	28	0.36	0.014	3.011	61 cm.	RECOCIDO
440	30	0.31	0.012	2.581	61 cm.	RECOCIDO
431	32	0.23	0.009	1.936	20 cm.	SEMIDURO
432	34	0.18	0.007	1.506	20 cm.	SEMIDURO
433	36	0.1	0.004	0.86	20 cm.	SEMIDURO

LATÓN ÁNGULOS



Largo standard: 3.66 mts
(12 pies)

Número de catálogo	Medida		Metros aproximado	
	M.M.	Pulgadas	Metro	Tramo
809	1.6 X 6.4	1/16 X 1/4	0.146	0.534
810	1.6 X 9.5	1/16 X 3/8	0.226	0.827
811	1.6 X 12.7	1/16 X 1/2	0.316	1.157
812	1.6 X 15.9	1/16 X 5/8	0.403	1.475
813	1.6 X 19.0	1/16 X 3/4	0.487	1.782
814	1.6 X 25.4	1/16 1"	0.657	2.405
807	2.4 X 15.9	3/32 X 5/8	0.589	2.156
815	3.2 X 12.7	1/8 X 1/2	0.595	2.178
816	3.2 X 15.9	1/8 X 5/8	0.756	2.767
817	3.2 X 19.0	1/8 X 3/4	0.933	3.415
818	3.2 X 25.4	1/8 X 1"	1.277	4.674
819	3.2 X 31.7	1/8 X 1 1/4	1.622	5.937
820	3.2 X 38.1	1/4 X 1 1/2	1.962	7.181
821	3.2 X 50.8	1/8 X 2"	2.644	9.677